




Bibliotheken

Woche 2 | Lektion 1





- Every 20 milliseconds repeating signal:
 - HIGH pulse: 1-2 milliseconds
 - LOW pulse: Remaining time
 - Duration of the HIGH pulse determines the target angle



- Use of the "ESP32Servo.h" library

set SERVO from Pin to Degrees (0~180)







sketch_apr27a

```
void setup() {  
  // put your setup code here, to run once:  
  
}  
  
void loop() {  
  // put your main code here, to run repeatedly  
  
}
```

Bibliotheksverwalter

Typ Alle Thema Alle

Arduino Cloud Provider Examples by Arduino
Examples of how to connect various Arduino boards to cloud providers
[More info](#)

Arduino Low Power by Arduino
Power save primitives features for SAMD and nRF52 32bit boards
[More info](#)

Arduino SigFox for MKRFox1200 by Arduino
Helper library for MKRFox1200 board and ATAB8520E Sigfox module This library allows some high level operations on Sigfox module, to ease integration with existing projects
[More info](#)

Arduino Uno WiFi Dev Ed Library by Arduino
This library allows users to use network features like rest and mqtt. Includes some tools for the ESP8266. Use this library only with Arduino Uno WiFi Developer Edition.
[More info](#)

Arduino_JSON by Arduino

Schließen



sketch_apr27a

```
void setup() {  
  // put your setup code here, to run once:  
  
}  
  
void loop() {  
  // put your main code here, to run repeatedly  
  
}
```

